

The method for synthesis of organosilylalkylpolysulfanes consists in the reaction of the appropriate organosilylalkyl halogenide with the anhydrous or practically anhydrous ionic sulfide and elementary sulfur. The elementary sulfur and organosilylalkyl halogenide are first added to the polar organic solvent, and then ionic sulfide is added to the suspension.